
Question: 1

In a SAIN based HCP solution, which RAID protection scheme is considered standard use with an AMS 2000 system?

Response:

- A. RAID 6 (5+2)
- B. RAID 5 (6+1)
- C. RAID 5 (7+1)
- D. RAID 6 (6+2)

Answer: A

Question: 2

When performing HCP maintenance using PuTTY, what is used to forward the SSH keys?

Response:

- A. Polaris
- B. Pelican
- C. Proxy server
- D. Pageant

Answer: D

Question: 3

A customer has their HCP system configured in enterprise mode. Which compliance role function can be performed?

Response:

- A. View the network security settings.
- B. View the syslog configuration.
- C. Delete a retention class.
- D. Modify the tenant list.

Answer: C

Question: 4

What are two instances when you would need to configure the BIOS on a HCP Node?
(Choose two.)

Response:

- A. when configuring the HCP for replication
- B. when adding more than 1 TB of capacity to the configuration
- C. when replacing an entire node
- D. when replacing a failed motherboard in a node

Answer: CD

Question: 5

How many public network drops are required per storage node for a HCP installation?
Response:

- A. 12 public network drops
- B. 6 public network drops
- C. 2 public network drops
- D. 1 public network drop

Answer: C

Question: 6

Which procedure is required to complete a HCP upgrade?
Response:

- A. Enter the total number of disks and commit upgrade.
- B. Enter the total number of nodes and commit a rollback.
- C. Review the current node versions and cancel.
- D. Enter the total number of nodes and commit upgrade.

Answer: D

Question: 7

How does a HCP protect object metadata?
Response:

- A. The administrator must manually execute the metadata copy command.
- B. The administrator sets the DPL policy required for all HCP metadata.

- C. The metadata protection level is matched to the DPL level set for data.
- D. The MDPL mechanism automatically creates two copies of the metadata.

Answer: D

Question: 8

You must perform a HCP upgrade and your customer requires no user impact. Which upgrade should you use?

Response:

- A. rollback upgrade
- B. rolling upgrade
- C. online upgrade
- D. offline upgrade

Answer: C

Question: 9

With which number must the multicast IP address begin?

Response:

- A. 192
- B. 238
- C. 236
- D. 10

Answer: B

Question: 10

A customer has decided to acquire the entry level HCP 300. Which two hardware components will be included in the order?

(Choose two.)

Response:

- A. rack and power distribution units (PDUs)
- B. four server nodes with internal storage
- C. six server nodes with internal storage
- D. four server nodes with SAN switches

Answer: AB