
Question: 1

A customer wishes to copy a database on external storage controlled by a Universal Storage Platform over 10km using TrueCopy Synchronous. Which HiCommand product is used to manage the replication?
Response:

- A. HiCommand Tiered Storage Manager (HTsM)
- B. HiCommand Protection Manager (HPtM)
- C. HiCommand Device Manager (HDvM)
- D. HiCommand Replication Monitor (HRpM)

Answer: C

Question: 2

Your customer must decide which Three Data Center (3DC) Business Continuity Solution configuration meets expectations. Which 3DC configuration is accurate?
Response:

- A. 3DC Pass-Through Cascade with a Journal Group on two USPs.
- B. 3DC Multi-target with a Journal Group on all three USPs.
- C. 3DC Multi-target with a Journal Group on each of two USPs.
- D. 3DC Pass-Through Cascade with a Journal Group on three USPs.

Answer: B

Question: 3

A customer has purchased an Hitachi Storage Cluster (HSC) for Microsoft Environments. Which component is included?
Response:

- A. Microsoft Cluster
- B. VBS scripts
- C. Hitachi VSS Agent
- D. Hitachi client for Microsoft Exchange

Answer: B

Question: 4

When performing a migration using Volume Migrator, which three LDEVs cannot be migrated?
(Choose three.)

Response:

- A. A TrueCopy source volume which is in PSUE state.
- B. Volumes for which there is a pinned track.
- C. Volumes being managed by Cache Residency Manager.
- D. An expanded LU volume.
- E. Volumes being used by Concurrent Copy.

Answer: BCE

Question: 5

A customer has a server cluster, what are two features of a quorum disk?
(Choose two.)

Response:

- A. It must reside on a RAID disk.
- B. It must be accessible by all nodes.
- C. A copy must always be available to all nodes.
- D. It contains the status of all nodes in a cluster.

Answer: BD

Question: 6

If a customer has a server cluster, what does a quorum disk do?
(Choose two.)

Response:

- A. It tells the applications what storage to access.
- B. It decides where to run an application if a node fails.
- C. It is a configuration database.
- D. It tells the storage which applications are accessing it.

Answer: BC

Question: 7

One CCI instance fails to start. You decide to review the HORCM logs to determine what is wrong. Where are the logs stored?

Response:

- A. Under /var/adm.
- B. It depends on the environment variable.
- C. On the Command Device.
- D. Always under Horcm/log/curlog.

Answer: B

Question: 8

Which statement is true about HiCommand Tiered Storage Manager?

Response:

- A. It moves the LDEV number before copying data.
- B. Tiered Storage Manager focuses on short term improvements of a storage system's performance.
- C. Migration using Tiered Storage Manager is disruptive to the continuance of a business.
- D. It works as a migration controller.

Answer: D

Question: 9

A customer is interested in acquiring an Hitachi Storage Cluster (HSC) for Microsoft Environments solution. Which two extra features or functions are being purchased?

(Choose two)

Response:

- A. The ability to do clustering with heterogeneous storage.
- B. The ability to do server clustering.
- C. The ability to do clustering over long distance.
- D. The ability to coordinate replication and clustering.

Answer: CD

Question: 10

An error has occurred on a HiCommand Protection Manager (HPtM) server and logs are required to diagnose the problem. Which utility is used to collect the HPtM logs?

Response:

-
- A. the drm_log utility
 - B. the hcmtsgetlogs utility
 - C. the TIC utility
 - D. the jpcras utility

Answer: A
