

## Question: 1

The ECS network solution for an organization is designed to have 4x10bE uplinks connected to both Cisco switches. The organization will create the needed port channels.

What additional configuration on Cisco switches is recommended for high availability and redundancy?

- A. Ring topology
- B. Dedicated VLANs
- C. Spanning tree protocol
- D. Virtual port channel

**Answer: B**

## Question: 2

When a disk state is suspect, what are the allowable options?


- A. Read
- B. Write
- C. Read and write
- D. No operations allows

**Answer: A**

## Question: 3

DRAG DROP

What is the correct order steps in the ECS software installation process?



**Answer:**

---

Configure the network settings  
Install and configure the HAL  
Install and configure the ECS object and fabric services  
Reinstall the core operating system

## Question: 4

Which ECS array license file enables data services for storage management?

- A. ViPR Commodity
- B. ViPR HDFS
- C. ViPR Unstructured
- D. ViPR ECS

**Answer: C**

## Question: 5

Which command is use to install the ECS software package?

A)

```
sudo ./run.sh
```

B)

```
sudo bin/installer -operation INSTALL
```

C)

```
sudo bin/installer -operation INSTALL_HAL
```

D)

```
sudo tar xfvz ecs*production*.tgz
```

- A. Option
- B. Option
- C. Option
- D. Option

**Answer: C**

## Question: 6

The ECS is not PXE-booting nodes 2 through 8. Which command should be run to check PXE boot status?

A)

---

```
getrackinfo -a
```

B)

```
viprexec 'cat /proc/httpd'
```

C)

```
getrackinfo -p RackInstallServer
```

D)

```
cat /var/log/httpd
```

A. Option

B. Option

C. Option

D. Option

<b>Answer: D</b>
------------------