

# Fortinet

## NSE6\_FAZ-7.2

**Fortinet NSE 6 - FortiAnalyzer 7.2 Administrator**

**For More Information – Visit link below:**

**<https://www.examsempire.com/>**

**Product Version**

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



**<https://examsempire.com/>**

**Visit us at: <https://www.examsempire.com/nse6-faz-7-2>**

# Latest Version: 6.0

## Question: 1

Refer to the exhibit.

The screenshot shows the 'Cluster Settings' page in FortiAnalyzer. The 'Operation Mode' is set to 'High Availability' and the 'Preferred Role' is 'Primary'. Under 'Cluster Virtual IP', the 'IP Address' is 192.168.101.222 and the 'Interface' is port1. In the 'Peer IP and Peer SN' section, a peer is configured with IP 10.0.1.210 and SN FAZ-VM0000065040. Other settings include Group Name 'NSE6', Group ID '1', Password (masked), Heart Beat Interval '10' seconds, Failover Threshold '30', and Priority '120'. A toggle switch at the bottom is currently turned off.

The image displays "he configuration of a FortiAnalyzer the administrator wants to join to an existing HA cluster.

What can you conclude from the configuration displayed?

- A. After joining to the cluster, this FortiAnalyzer will keep an updated log database.
- B. This FortiAnalyzer will trigger a failover after losing communication with its peers for 10 seconds.
- C. This FortiAnalyzer will join to the existing HA cluster as the primary.
- D. This FortiAnalyzer is configured to receive logs in its port1.

**Answer: D**

Explanation:

The configuration displayed in the exhibit indicates that the FortiAnalyzer is set up with a cluster virtual IP address of 192.168.101.222 assigned to interface port1. This setup is typically used for the FortiAnalyzer to receive logs on that interface when operating in a High Availability (HA) configuration. The exhibit does not provide enough information to conclude whether this FortiAnalyzer will be the primary unit in the HA cluster or the duration for the failover trigger; it only confirms the interface configuration for log reception. Reference: Based on the FortiAnalyzer 7.4.1 Administration Guide, the

similar configurations for HA and log reception are discussed, which would be relevant for understanding the settings in FortiAnalyzer 7.2.

**Thank You for Trying Our Product**

**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**