

Cisco 300-915

Developing Solutions Using Cisco IoT and Edge Platforms (DEVIOT)

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/300-915>

Question: 1

A company is collecting data from several thousand machines globally. Which software component in the overall architecture is the next destination of the dataflow after the data has been gathered and normalized on the edge data software?

- A. relational database: MySQL
- B. historian database: influxDB
- C. message broker: Apache Kafka
- D. dashboard: Node.js web app

Answer: B

Question: 2

Which data visualization technique should be used to represent an important single metric on a dashboard?

- A. heatmap
- B. scatter plot
- C. gauge
- D. treemap

Answer: C

Question: 3

DRAG DROP

An application needs to calculate if the product meets a determined quality specification, activate an automation to remove poor quality products, and report detailed results back to the cloud. All data are captured from an application that is connected to a sensor. Using the SDK of the cloud provider, drag and drop the tasks that must be completed from the left to the right. Not all options are used.

- code function for detection
- quality specification of product
- credentials for network and cloud operations
- sensor function with sensor SDK
- user interaction with the application
- cloud function communication with cloud SDK
- product removal function

-
-
-
-
-

Answer:

- code function for detection
- quality specification of product
- sensor function with sensor SDK
- cloud function communication with cloud SDK
- product removal function

Question: 4


Which two states are applications expected to be seen in when they are managed on Cisco IOx?
(Choose two.)

- A. DEACTIVATED
- B. ACTIVATED
- C. ALLOWED
- D. STOPPED
- E. VALIDATED

Answer: B,D

Question: 5

Refer to the exhibit.



Which product must be positioned where the “?” is placed to connect these different network levels?

- A. firewall
- B. switch
- C. router
- D. wireless access port

Answer: C

Thank You for Trying Our Product
Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>