

ServiceNow

CIS-Discovery
Certified Implementation Specialist - Discovery

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Latest Version: 7.0

Question: 1

Operation	Merge Table ▼
* First Table	\$name_details
* Second Table	\$more_process_info
* Target Table	\$cmdb_ci_web_server
Merge Criteria	Condition ▼
Meet	Any ▼ Following condition
	\$process.executablePath Contains ▼ "mongoose"
Unmatched Values	Remove ▼

Based on this image, which of the following statements are true? (Choose three.)

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

Answer: BDE

Question: 2

Reconciliation Definitions

New

Search

for text

Search

1

to 3 of 3

		Data Source	Applies to	Attributes	Active
<input type="checkbox"/>		Altiris	Windows Server [cmdb_ci_win_server]	name	true
<input type="checkbox"/>		OpenView	Windows Server [cmdb_ci_win_server]	name	true
<input type="checkbox"/>		ServiceNow	Windows Server [cmdb_ci_win_server]	name	true

Data Source Precedentes

New

Go to

Order

Search

1

to 3 of 3

		Applies to	Data Source	Order	Active
<input type="checkbox"/>		[cmdb_ci_win_server]	ServiceNow	100	true
<input type="checkbox"/>		[cmdb_ci_win_server]	OpenView	200	true
<input type="checkbox"/>		[cmdb_ci_win_server]	Altiris	300	true

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting 'Windows2' for the name attribute on the same CI?

- A. The name of the CI stays 'Windows1'.
- B. The name of the CI changes to 'Windows2'.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

Answer: B

Question: 3

For the Parse Variable pattern operation, what is required to have two different parsing methods to populate variables?

- A. Two different Debug Mode sessions.
- B. A tabular and a scalar variable.
- C. Two different steps.
- D. Two different Define Parsing selections on the same step.

Answer: D

Reference: https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/t_RegularExpParsStratPatDef.html

Question: 4

Which best describes Discovery schedule of type Configuration Item?

- A. Verifies Configuration Item data from the scanned IP ranges against the data in the CMDB.
- B. Creates only a list of discovered IPs in both IPv4 and IPv6 formats.
- C. Collects complete information from the scanned IP ranges and sends it to the CMDB.
- D. Directly populates records in the assets table.

Answer: D

Question: 5

When installing a MID Server on a Windows platform, which right must be associated when creating a Service Account?

- A. Local Admin
- B. Domain Admin
- C. MID Server User Role
- D. Log on as service

Answer: A

Reference: https://docs.servicenow.com/bundle/orlando-servicenow-platform/page/product/mid-server/task/t_InstallAMIDServerOnWindows.html

Thank You for Trying Our Product

Discount Coupon Code is: **20OFF2022**

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>