

Oracle

1Z0-908
MySQL 8.0 Database Administrator

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Latest Version: 7.0

Question: 1

Examine this statement, which executes successfully:

```
CREATE TABLE world.city (  
    ID int NOT NULL AUTO_INCREMENT,  
    Name char(35) NOT NULL DEFAULT '',  
    CountryCode char(3) NOT NULL DEFAULT '',  
    District char(20) NOT NULL DEFAULT '',  
    Population int NOT NULL DEFAULT '0',  
    PRIMARY KEY (ID),  
    KEY CountryCode (CountryCode)  
) ENGINE=InnoDB;
```

You want to improve the performance of this query:

```
SELECT Name  
FROM world.city  
WHERE Population BETWEEN 1000000 AND 2000000;
```

Which change enables the query to succeed while accessing fewer rows?

- A. ALTER TABLE world.city ADD SPATIAL INDEX (Name);
- B. ALTER TABLE world.city ADD SPATIAL INDEX (Population);
- C. ALTER TABLE world.city ADD INDEX (Population);
- D. ALTER TABLE world.city ADD INDEX (Name);
- E. ALTER TABLE world.city ADD FULLTEXT INDEX (Name);
- F. ALTER TABLE world.city ADD FULLTEXT INDEX (Population);

Answer: C

Explanation:

Reference: <https://dev.mysql.com/doc/refman/5.7/en/creating-spatial-indexes.html>

Question: 2

Which three are characteristics of a newly created role? (Choose three.)

- A. It can be dropped using the DROP ROLE statement.
- B. It is stored in the mysql.role table.
- C. It is created as a locked account.
- D. It can be renamed using the RENAME ROLE statement.
- E. It can be granted to user accounts.
- F. It can be protected with a password.

Answer: AEF

Explanation:

<https://dev.mysql.com/doc/refman/8.0/en/roles.html>

<https://www.mysqltutorial.org/mysql-roles/>

Question: 3

You have configured GTID-based asynchronous replication with one master and one slave.

A user accidentally updated some data on the slave.

To fix this, you stopped replication and successfully reverted the accidental changes. Examine the current

GTID information:

```
Master uuid:          aaaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa
Master gtid_executed:  aaaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10300
Master gtid_purged:    aaaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-3820

Slave uuid:           bbbbbbbbb-bbbb-bbbb-bbbb-bbbbbbbbbbbbb
Slave gtid_executed:   aaaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10167,
                      bbbbbbbbb-bbbb-bbbb-bbbb-bbbbbbbbbbbbb:1-9
Slave gtid_purged:    aaaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-2312
```

You must fix GTID sets on the slave to avoid replicating unwanted transactions in case of failover. Which set of actions would allow the slave to continue replicating without erroneous transactions?

A. RESET MASTER;

SET GLOBAL gtid_purged=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10167;

B. SET GLOBAL gtid_purged=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-2312,bbbbbbbb-bbbb-
bbbbbbbb-bbbb-
bbbbbbbb-bbbb:1-9;

SET GLOBAL gtid_executed=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10167;

C. RESET SLAVE;

SET GLOBAL gtid_purged=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-3820;

SET GLOBAL gtid_executed=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10300;

D. RESET MASTER;

SET GLOBAL gtid_purged=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-2312;

SET GLOBAL gtid_executed=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10167;

E. RESET SLAVE;

SET GLOBAL gtid_purged=aaaaaaaa-aaaa-aaaa-aaaa-aaaaaaaaaaaaa:1-10167;

Answer: D

Question: 4

The data in this instance is transient; no backup or replication will be required. It is currently under performing.

The database size is static and including indexes is 19G.

Total system memory is 32G.

After profiling the system, you highlight these MySQL status and global variables:

```
Com_rollback          | 85408355 |
Com_commit            | 1242342  |
Innodb_buffer_pool_pages_free | 163840   |
```

```
[mysqld]
buffer_pool_size=20G
innodb_flush_log_at_trx_commit=2
disable-log-bin
```

The OS metrics indicate that disk is a bottleneck. Other variables retain their default values.

Which three changes will provide the most benefit to the instance? (Choose three.)

- A. innodb_flush_log_at_trx_commit=1
- B. buffer_pool_size=24G
- C. innodb_log_file_size=1G
- D. sync_binlog=0
- E. innodb_doublewrite=0
- F. max_connections=10000
- G. innodb_undo_directory=/dev/shm

Answer: ACF

Explanation:

Reference: <https://aws.amazon.com/blogs/database/best-practices-for-configuring-parameters-foramazon-rds-for-mysql-part-1-parameters-related-to-performance/>

Question: 5

Which statement is true about InnoDB persistent index statistics?

- A. Updating index statistics is an I/O expensive operation.
- B. Index statistics are calculated from pages buffered in the buffer pool for tables with InnoDB storage engine.
- C. Setting innodb_stats_auto_recalc=ON causes statistics to be updated automatically when a new index is created.
- D. Execution plans based on transient index statistics improve precision when innodb_stats_persistent_sample_pages is increased.
- E. Increasing innodb_stats_persistent_sample_pages determines higher pages scanning speed, at the cost of increased memory usage.
- F. Tables are scanned and index statistics recalculated when an instance is restarted.

Answer: D

Explanation:

Reference: <https://mariadb.com/kb/en/innodb-persistent-statistics/>

Thank You for Trying Our Product

Special 16 USD Discount Coupon: **NSZUBG3X**

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>