

Fortinet

FCP_FAZ_AD-7.4

FCP - FortiAnalyzer 7.4 Administrator

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/fcp-faz-ad-7-4>

Latest Version: 6.1

Question: 1

Which two statements regarding ADOM modes are true? (Choose two.)

- A. In normal mode, the disk quota of the ADOM is fixed and cannot be modified, but in advanced mode, the disk quota of the ADOM is flexible.
- B. You can change ADOM modes only through the CLI.
- C. In an advanced mode ADOM, you can assign FortiGate VDOMs from a single FortiGate device to multiple FortiAnalyzer ADOMs.
- D. Normal mode is the default ADOM mode.

Answer: C, D

Question: 2

What is the purpose of the FortiAnalyzer command `diagnose system print netstat`?

- A. It provides network statistics for active connections, including the protocols, IP addresses, and connection states.
- B. It provides the complete routing table, including directly connected routes.
- C. It provides the static DNS table, including the host names and their expiration timers.
- D. It provides NTP server information, including server IPs, stratum, poll time, and latency.

Answer: A




Explanation:

The `diagnose system print netstat` command in FortiAnalyzer provides detailed information on active network connections, similar to the `netstat` command found in many operating systems.

Question: 3

Refer to the exhibit.

Create New Administrator

User Name	Remote-Admin
Avatar	  
Description	
Admin Type	LDAP
LDAP Server	External_Server
Match all users on remote server	<input checked="" type="checkbox"/>

The exhibit shows the creation of a new administrator on FortiAnalyzer.

What are two effects of enabling the choice Match all users on remote server when configuring a new administrator? (Choose two.)

- A. It allows user accounts in the LDAP server to use two-factor authentication.
- B. It creates a wildcard administrator using an LDAP server.
- C. User Remote-Admin from the LDAP server will be able to log in to FortiAnalyzer at any time.
- D. Administrators can log in to FortiAnalyzer using their credentials on the remote LDAP server.

Answer: B, D

Explanation:

Enabling this option allows any user authenticated by the LDAP server to log in to FortiAnalyzer, effectively creating a wildcard administrator.

Question: 4

The connection status of a new device on FortiAnalyzer is listed as Unauthorized.

What does that status mean?

- A. It is a device whose registration has not yet been accepted in FortiAnalyzer.
- B. It is a device that has not yet been assigned an ADOM.
- C. It is a device that is waiting for you to configure a pre-shared key.
- D. It is a device that FortiAnalyzer does not support.

Answer: A


Explanation:

The "Unauthorized" status indicates that the device has been discovered or attempted to connect but has not yet been authorized for management by FortiAnalyzer. It requires an administrator to approve or authorize the device before it can be fully managed.

Question: 5

Refer to the exhibit.

FortiAnalyzer packet capture on Wireshark



Which image corresponds to the packet capture shown in the exhibit?

A)

		Table View	More	Show Charts	Search...
<input type="checkbox"/>	Device Name	IP Address	Connectivity	Logging Mode	Average Log Rate(Logs/Sec)
<input type="checkbox"/>	Remote-FortiGate	10.200.3.1	Connection Up	Real Time	0

B)

		Table View ▾	More ▾	Show Charts ▾	Search...
<input type="checkbox"/>	Device Name ▾	IP Address ▾	Connectivity ▾	Logging Mode ▾	Average Log Rate(Logs/Sec) ▾
<input type="checkbox"/>	Remote-FortiGate	10.200.3.1	↑ Connection Up	Real Time	0

C)

		Table View ▾	More ▾	Show Charts ▾	Search...
<input type="checkbox"/>	Device Name ▾	IP Address ▾	Connectivity ▾	Logging Mode ▾	Average Log Rate(Logs/Sec) ▾
<input type="checkbox"/>	Remote-FortiGate	10.200.3.1	↓ Connection Down	Real Time	0

D)

		Table View ▾	More ▾	Show Charts ▾	Search...
<input type="checkbox"/>	Device Name ▾	IP Address ▾	Connectivity ▾	Logging Mode ▾	Average Log Rate(Logs/Sec) ▾
<input type="checkbox"/>	Remote-FortiGate	10.200.3.1	↓ Connection Down	Real Time	0

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

Explanation:

Chosen image shows the device Remote-FortiGate with the IP 10.200.3.1 and a connection status of "Connection Up," which is consistent with the packet capture details showing active communication between the client and server.

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>