

Dell EMC D-AV-OE-23

Dell Technologies Avamar Operate 2023

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/d-av-oe-23>

Question: 1

Based on Dell EMC best practices, what is recommended when creating Dell EMC Avamar schedules?

Response:

- A. Use a single schedule where possible
- B. Use the override daily schedule for important backups
- C. Use a different schedule for each group
- D. Set a 14-hour maximum for backup duration

Answer: A

Question: 2

What is the minimum recommended retention period for Dell EMC Avamar backups?

Response:

- A. 3 days
- B. 7 days
- C. 14 days
- D. 28 days

Answer: C

Question: 3

When setting up standard replication between two Dell EMC Avamar servers, what should be considered for the replication target server?

Response:

- A. Replication target server should be of the same hardware type as the source
- B. Replication target server must be of the same Avamar version as the source
- C. MCS on the replication target server should be down
- D. Replication target server must have sufficient capacity for all replicated data

Answer: D

Question: 4

What happens when the OS capacity of a Dell EMC Avamar server reaches 85%?

Response:

- A. Avamar server enters read-only mode
- B. All the maintenance tasks does not run
- C. Garbage collection does not run
- D. Checkpoint does not run

Answer: C

Question: 5

A single node Dell EMC Avamar server performs replication to a multi-node server and has the Replicas at Source feature enabled.

The administrator then logs into the single node server, selects a remote copy of a backup, and initiates a restore. How is data restored back to the client?

Response:

- A. From the multi-node server through the single node to the client
- B. From the multi-node server directly to the client
- C. From the single node server through the multi-node to the client
- D. From the single node server directly to the client

Answer: D

Question: 6

When using LDAP for Active Directory to access the Dell EMC Avamar Administrator, where are the user passwords maintained?

Response:

- A. Utility node /usr/local/avamar/etc
- B. Active Directory server
- C. SSH known_hosts file on the utility node
- D. Utility node OS /etc/passwd file

Answer: B

Question: 7

A new Dell EMC Avamar server has been installed at a company's site. When creating a new backup window, the storage administrator encounters conflicts with the maintenance window. What is the default maintenance window?

Response:

- A. 8 AM - 6 PM
- B. 8 AM - 8 PM
- C. 8 PM - 6 AM
- D. 9 PM - 6 AM

Answer: B

Question: 8

A company has a Dell EMC Avamar client with 4 GB RAM, with default cache settings. What is the maximum size of the hash cache they can use?

Response:

- A. 192 MB
- B. 256 MB
- C. 512 MB
- D. 1024 MB

Answer: A

Question: 9

When configuring replication on a Dell EMC Avamar server, what number is set for target MCS connection port by default?

Response:

- A. 27000
- B. 27001
- C. 28001
- D. 28002

Answer: C

Question: 10

A Dell EMC Avamar backup administrator wants to add end-user workstations to the backup environment. Which end-user function is enabled by default?

Response:

- A. Override the daily schedule
- B. Modify the backup retention policy
- C. Select any data on their workstation to back up
- D. Run on-demand backups

Answer: D

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>