

CWNP CWIDP-402

Wireless IoT Design Professional (CWIDP)

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/cwidp-402>

Latest Version: 6.0

Question: 1

Which tool is commonly used to validate the security of a wireless IoT solution?

Response:

- A. Wireshark
- B. Heat map analyzer
- C. Firmware updater
- D. Spectrum analyzer

Answer: A

Question: 2

When designing a wireless IoT network for a smart home, which factors are critical to ensure reliable communication?

(Select two)

Response:

- A. Network coverage in all areas of the home
- B. Device processing power
- C. Signal interference from other devices
- D. Device aesthetics

Answer: A,C

Question: 3

In evaluating an existing IoT solution, what is a common indicator that the network infrastructure is not optimized for IoT deployments?

Response:

- A. Low latency
- B. Excessive packet loss
- C. Strong signal strength
- D. High data transmission rates

Answer: B

Question: 4

Which method is commonly used to elicit requirements from stakeholders during the planning phase of an IoT solution?

Response:

- A. Prototyping
- B. Brainstorming
- C. Interviews
- D. Surveys

Answer: C

Question: 5

Which type of requirement involves ensuring that devices in an IoT network can communicate using a standard protocol?

Response:

- A. Functional requirement
- B. Technical constraint
- C. Security requirement
- D. Interoperability requirement

Answer: D

Question: 6

When assessing an existing IoT solution, which of the following is the most critical factor to evaluate first?

Response:

- A. The cost of the IoT devices
- B. The scalability of the solution
- C. The power consumption of each device
- D. The aesthetic appearance of the devices

Answer: B

Question: 7

In a wireless IoT solution, which factor is most important when designing a network to support mobile devices?

Response:

- A. Network topology
- B. Data storage capacity
- C. Handoff and roaming capabilities
- D. Signal frequency

Answer: C

Question: 8

During an assessment of an existing IoT solution, which issue is most likely to arise due to a lack of device interoperability?

Response:

- A. Increased battery life
- B. Enhanced security
- C. Device communication failures
- D. Reduced deployment time

Answer: C

Question: 9

What are the primary benefits of defining clear interoperability requirements for an IoT solution?

(Select two)

Response:

- A. Ensuring seamless communication between devices
- B. Reducing overall project costs
- C. Minimizing system latency
- D. Allowing integration of devices from different manufacturers

Answer: A,D

Question: 10

What constraints are commonly considered during the design of an IoT solution?

(Select two)

Response:

- A. Power consumption
- B. Aesthetic design
- C. Data transmission speed
- D. Device compatibility with future upgrades

Answer: A,C

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>