

Dell EMC DES-1142

**Specialist - Platform Engineer and PowerMax and VMAX
All Flash Exam**

For More Information – Visit link below:

<https://www.examsempire.com/>

Product Version

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/des-1142>

Latest Version: 6.0

Question: 1

Which VMAX family array models use Dynamic Core Assignment?

Response:

- A.10K and 20K
- B.100K and 200K
- C.200K and 20K
- D.400K and 40K

Answer: B

Question: 2

In order to implement the Data at Rest Encryption (D@RE) feature on a VMAX array, which hardware is required?

Response:

- A.Encryption-capable disk drives
- B.Encryption-capable 4 Gb/s back-end I/O modules
- C.Encryption-capable 4 Gb/s front-end I/O modules
- D.Encryption-capable 8 Gb/s front-end I/O modules

Answer: B

Question: 3

You are planning to install a VMAX 40K. You are using a three-phase, five wire Wye source for the electrical connection. Which breaker size should be used to support this configuration?

Response:

- A.20 amp
- B.32 amp
- C.50 amp
- D.100 amp

Answer: B

Question: 4

What is used to download STP files on PowerMax and VMAX All Flash arrays?

Response:

- A.Solutions Enabler symaudit command
- B.Tools in vAPP Container Service Access
- C.Unisphere in Embedded Management
- D.MGMT in vAPP Container Service Access

Answer: B

Question: 5

When inspecting a lithium-ion standby power supply, what does a red mechanical color wheel indicate?

Response:

- A.Parked
- B.Faulted
- C.Not charging
- D.Not installed

Answer: C

Question: 6

You are installing a PowerMax 8000 as a multi-engine configuration. You are setting up the connectivity for SRDF functionality to a remote PowerMax 8000. Which module should be configured for SRDF connectivity?

Response:

- A.Back-end
- B.Fabric
- C.Management
- D.Front-end

Answer: D

Question: 7

Which technology allows six CPU cores in a VMAX 10K to be partitioned into 12 logical cores?

Response:

- A.Enhanced rev. E Bosco ASIC
- B.2.8GHz Westmere CPUs
- C.Hyper-Threading
- D.EMC PowerPath

Answer: C

Question: 8

A user wants to free up space on high performance tiers by migrating inactive data online. Which VMAX All Flash feature helps the user to accomplish this?

Response:

- A.Cloud Array
- B.Compression
- C.F Package
- D.SnapVX

Answer: A

Question: 9

From what resource can the SolVe Desktop tool be downloaded?

Response:

- A.dell.com/support
- B.Symmipedia
- C.JFrogArtifactory
- D.solveonline.emc.com

Answer: A

Question: 10

What must be created in order for a customer to access a point-in-time copy?

Response:

- A.A link from the snapshot to a host mapped target device
- B.A target in the same SRP as the source device

- C.A target in a different SRP as the source device
- D.A target device of equal or greater size than the source device

Answer: A

Thank You for Trying Our Product

Special 16 USD Discount Coupon: NSZUBG3X

Email: support@examsempire.com

**Check our Customer Testimonials and ratings
available on every product page.**

Visit our website.

<https://examsempire.com/>