

Latest Version: 6.0

Question: 1

A Dell EMC Avamar administrator regularly runs an on-demand checkpoint at 7:30 AM each day. What is the impact of performing this activity?

Response:

- A.Maintenance scheduler is temporarily disabled
- B.Backup window is automatically modified
- C.Any running backups are cancelled
- D.Checkpoints will no longer be created by the server

Answer: A

Question: 2

What is the maximum number of 1.0 TB EMC AVE servers that can be installed on a single ESX server?

Response:

- A.1
- B.2
- C.3
- D.4

Answer: B

Question: 3

A storage administrator requires a Dell EMC Avamar Virtual Edition (AVE) backup solution for a remote site.

The site has 100 GB of data to protect which includes Microsoft SQL and Exchange. In addition, the data changes daily at an average rate of 8%.

What is the minimum AVE capacity that meets this requirement assuming typical retention periods?

Response:

- A.0.5 TB
- B.1 TB
- C.2 TB
- D.4 TB

Answer: B

Question: 4

A new Dell EMC Avamar server has been installed at a company's site. When creating a new backup window, the storage administrator encounters conflicts with the maintenance window.

What is the default maintenance window?

Response:

- A. 8 AM - 6 PM
- B. 8 AM - 8 PM
- C. 8 PM - 6 AM
- D. 9 PM - 6 AM

Answer: B

Question: 5

When setting up standard replication between two Dell EMC Avamar servers, what should be considered for the replication target server?

Response:

- A. Replication target server should be of the same hardware type as the source
- B. Replication target server must be of the same Avamar version as the source
- C. MCS on the replication target server should be down
- D. Replication target server must have sufficient capacity for all replicated data

Answer: D

Question: 6

What is the default level of encryption for client/server network communications in a Dell EMC Avamar server?

Response:

- A. None
- B. Medium
- C. High
- D. Low

Answer: C

Question: 7

Which database does Dell EMC Avamar use to store backup activities, restore activities, events, and defined groups and clients?

Response:

- A.Oracle
- B.PostgreSQL
- C.Microsoft SQL
- D.Sybase

Answer: B

Question: 8

A company has a Dell EMC Avamar client with 4 GB RAM, with default cache settings. What is the maximum size of the hash cache they can use?

Response:

- A.192 MB
- B.256 MB
- C.512 MB
- D.1024 MB

Answer: A

Question: 9

What is the minimum recommended retention period for Dell EMC Avamar backups?

Response:

- A.3 days
- B.7 days
- C.14 days
- D.28 days

Answer: C

Question: 10

You have configured Dell EMC Avamar VMware backups to be sent to a Data Domain. The company needs to restore the VM due to a corruption of the OS leaving the VM unable to boot up.

What is the recommended restore option to reduce downtime of the VM?

Response:

- A.Instant Access
- B.Change Block Tracking
- C.Image Restore
- D.File Level Recovery

Answer: A
