

# Latest Version: 6.0

## Question: 1

Which PowerProtect DD technology provides fast and efficient deduplication while minimizing disk access?

- A. SISL
- B. Cloud Tier
- C. Cache Tier
- D. DIA

**Answer: B**

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technicalsupport/h17926-dellemc-powerprotect-dd-ds.pdf>

## Question: 2

Backup administrators have noticed slow backups on the AIX environment. To fix the issue, what should the set large\_send be for each NIC, and what should the NFS option be set to?

- A. no and nfs\_rfc1323=0
- B. yes and nfs\_rfc1323=0
- C. no and nfs\_rfc1323=1
- D. yes and nfs\_rfc1323=1

**Answer: D**

## Question: 3

DRAG DROP

What are the steps to configure the Retention Lock Compliance?

Create iDRAC users

Add one or more security officer users

Configure the system to use DD Retention Lock Compliance

Enable DD Retention Lock Compliance on the system

Enable the security officer authorization

STEP 1

STEP 2

STEP 3

STEP 4

STEP 5

**Answer:**

Configure the system to use DD Retention Lock Compliance

Add one or more security officer users

Create iDRAC users

Enable the security officer authorization

Enable DD Retention Lock Compliance on the system

**Question: 4**

An administrator is scaling Cloud Tier for a DD9400 by adding a second cloud unit. What is the required amount of metadata storage (TB)?

- A. 120
- B. 240
- C. 300
- D. 500

**Answer: B**

**Question: 5**

A storage administrator finished the zoning between the PowerProtect DD and the NetWorker backup server.

How can they verify that the zoning was completed properly and the server HBA are visible?

- A. scsitarget initiator show list
- B. scsitarget initiator list
- C. scsitarget show initiator
- D. scsitarget show initiator list

**Answer: A**