

Latest Version: 6.0

Question: 1

The Tier-O (TO) router will send northbound packets through which device?

- A. The AWS Elastic Network Adapter (ENA) of the VMware ESXi host that the active TO Edge virtual machine is currently running on.
- B. The AWS Elastic Network Adapter (ENA) of the VMware ESXi host where the packet is originating from.
- C. The AWS Elastic Network Adapter (ENA) of the VMware ESXi host that the passive TO Edge virtual machine is currently running on.
- D. The AWS Elastic Network Adapter (ENA) of the VMware ESXi host that is currently the least utilized.

Answer: C

Question: 2

An architect is designing a solution for a customer that will include VMware Cloud on AWS. The solution will enable the customer to progress with their business objective to migrate all of their VMware vSphere workloads to the cloud and completely exit their physical data center. The following information was provided by key stakeholders as part of the initial design workshop:

The customer already consumes a number of AWS native services as part of their existing application landscape.

The customer currently uses both VMware vRealize Log Insight Cloud and VMware vRealize Operations Cloud to monitor their existing on-premises vSphere solution.

The customer currently has configured Federated Identity Management to enable role based access control to VMware Cloud services using their on-premises Active Directory.

What should the architect recommend to ensure that all the prerequisites for deploying a VMware Cloud on AWS solution are successfully met while minimizing operational complexity?

- A. A new VMware Cloud account must be created to enable access to the VMware Cloud on AWS service.
- B. A new AWS account must be created to enable dedicated connectivity for VMware Cloud on AWS.
- C. The existing VMware Cloud account should be used to enable access to the VMware Cloud on AWS service.
- D. The ownership of the existing AWS account should be transferred to VMware so that the VMware Cloud on AWS software-defined data center (SDDC) can be deployed.

Answer: D

Question: 3

An administrator is deploying a VMware Cloud on AWS software-defined data center (SDDC) in an AWS region and needs to plan for mission-critical application availability across availability zones. Which AWS Virtual Private Cloud (VPC) configuration needs to be in place in order to accomplish this?

- A. One AWS VPC with four subnets, one per availability zone
- B. Two AWS VPCs with two subnets, two per availability zone
- C. One AWS VPC with two subnets, one per availability zone
- D. Four AWS VPCs with two subnets, two per availability zone

Answer: B

Question: 4

Which two VMware Cloud on AWS maintenance tasks are the responsibility of AWS personnel? (Choose two.)

- A. Backup and restore VMware appliances and infrastructure.
- B. Patch VMware Cloud on AWS components.
- C. Refresh hardware and replace failed components.
- D. Upgrade workload VMware Tools.

Answer: BC

Reference: <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-description.pdf>

Question: 5

A user with an Organization Member role would like to add another user to an organization. How would this be accomplished?

- A. Only users with an Organization Owner role can invite and add users to the organization.
- B. The user with an Organization Member role needs to have CloudAdmin permissions in order to add a new user.
- C. The user with an Organization Member role will be able to add a new user through the Identity and Access Management page.
- D. Users with an Organization Member role are automatically granted access to all roles within VMware Cloud on AWS.

Answer: A

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.getting-started/GUID-9CAB2B3E-42D5-44A1-9428-E8FFD22BDD01.html>