

# Nokia BL0-200

## Nokia Bell Labs 5G Networking Exam

For More Information – Visit link below:

<https://www.examsempire.com/>

**Product Version**

1. Up to Date products, reliable and verified.
2. Questions and Answers in PDF Format.



<https://examsempire.com/>

Visit us at: <https://www.examsempire.com/bl0-200>

# Latest Version: 6.0

## Question: 1

Concentrator location is done during which phase?

- A. RF design
- B. Detailed design
- C. Digital twin creation
- D. X-Haul design

**Answer: D**

## Question: 2

5G transport network is a combination of three transport components. What are those 3 units?

- A. Access Midhaul - Metropolitan/Core - Access Fronthaul
- B. Access Backhaul - Metropolitan/Core - Backbone Core
- C. Access Fronthaul - Metropolitan/Core - Access Midhaul
- D. Access Midhaul - Metropolitan/Core - Mobile Access

**Answer: B**

## Question: 3

When is a non-standalone deployment needed?

- A. When you need 4G RAN to provide all 5G services
- B. When you need 5G RAN to provide all 5G services
- C. When you need to have interworking between 4G and 5G core
- D. When deploying 5G RAN but want to use 4G core

**Answer: A**

## Question: 4

Which of the following is NOT a functionality of Network Slice Selection Function (NSSF)?

- A. Takes care of mapping slice specific identifiers.
- B. Determines the candidate AMFs to be used to serve the UE.
- C. Selects the slices to which the UE can connect.
- D. Provides policies directly to the UPF for implementation, in the form of slices.

**Answer: D**

### Question: 5

Identify the feature or feature set that reduces latency in the 5G RAN.

- A. mMIMO and Beamforming
- B. dual connectivity
- C. flexible radio design
- D. dynamic spectrum sharing

**Answer: B**

**Thank You for Trying Our Product**  
**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**