

# NI CLAD

**Certified LabVIEW Associate Developer Exam(CLAD)**

**For More Information – Visit link below:**

**<https://www.examsempire.com/>**

**Product Version**

- 1. Up to Date products, reliable and verified.**
- 2. Questions and Answers in PDF Format.**



**<https://examsempire.com/>**

**Visit us at: <https://www.examsempire.com/clad>**

## Latest Version: 6

### Question: 1

How do you document a VI so that the description appears in the Show Context Help popup window?

- A. Use the VI Properties Documentation window
- B. Type in the Show Context Help window
- C. Create a free label on the front panel
- D. Edit the LabVIEW help files

**Answer: A**

### Question: 2

Can a wire be used to pass data between loops that are intended to run in parallel?

- A. Yes
- B. No

**Answer: B**

### Question: 3

Which of the following describes a Tab Control?

- A. A control that outputs ASCII values equal to the selected tab label
- B. A type of enumerated control
- C. A control that outputs a cluster of the controls / indicators on the tabs
- D. A controls that outputs the tab order of the controls on the front panel

**Answer: B**

### Question: 4

What is an advantage of using a Strictly Typed VI ref num?

- A. The data types of the target VI are known at compile time
- B. The data types passed to the VI can change programmatically
- C. You can flatten the data to a string to improve code performance

D. Causes dynamically loaded VIs to be loaded at the start of execution

**Answer: A**

### Question: 5


A coercion dot indicates that:

- A. The data types are consistent
- B. A polymorphic operation will be performed on the data
- C. A data buffer is created to handle data conversion
- D. Data values are being coerced because they are out of range

**Answer: C**

### Question: 6

Which of the following statements is true about the following block diagram?



- A. The loop will execute once and the iteration terminal, , will output a value of one
- B. The loop will execute once and the iteration terminal, , will output a value of zero
- C. The loop will execute infinitely and the program will have to be aborted
- D. The loop will not execute and the iteration terminal, , will return a null value

**Answer: C**

### Question: 7

Which of the following can not be used to transfer data?

- A. Semaphores
- B. Queues

- C. Notifiers
- D. Local variables

**Answer: A**

### Question: 8

Which of the following terminals controls how many times a For loop executes?

A.



B.



C.



D.



**Answer: D**

**Thank You for Trying Our Product**

**Special 16 USD Discount Coupon: NSZUBG3X**

**Email:** [support@examsempire.com](mailto:support@examsempire.com)

**Check our Customer Testimonials and ratings  
available on every product page.**

**Visit our website.**

**<https://examsempire.com/>**